=>


Uploading C:\Program Files\Stnexp\Queries\10-566,040a.str

```
chain nodes:
10 11 12 13 14
ring nodes:
1 2 3 4 5 6 7 8 9 15 16 17 18 19 20
chain bonds:
10-11 11-12 12-13 12-14 13-15
ring bonds:
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 15-16 15-20 16-17 17-18 18-19
19-20
exact/norm bonds:
5-7 6-9 7-8 8-9 12-13 12-14 13-15
exact bonds:
10-11 11-12
normalized bonds:
1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20
```

Match level: 1:1Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom

L5 STRUCTURE UPLOADED

=> d 15 L5 HAS NO ANSWERS L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 15 sss sam

SAMPLE SEARCH INITIATED 11:14:42 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 151 TO ITERATE

100.0% PROCESSED 151 ITERATIONS 3 ANSWERS

3 TO

SEARCH TIME: 00.00.01

PROJECTED ANSWERS:

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
PROJECTED ITERATIONS: 2283 TO 3757

L6 3 SEA SSS SAM L5

=> s 15 sss full

FULL SEARCH INITIATED 11:14:49 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 2662 TO ITERATE

100.0% PROCESSED 2662 ITERATIONS 37 ANSWERS

SEARCH TIME: 00.00.01

L7 37 SEA SSS FUL L5

=> file caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 178.82 384.93

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE 0.00 -3.20

FILE 'CAPLUS' ENTERED AT 11:15:09 ON 08 MAY 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 May 2008 VOL 148 ISS 19 FILE LAST UPDATED: 7 May 2008 (20080507/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 17

4 L7 L8

=> d ibib abs hitstr 1-YOU HAVE REQUESTED DATA FROM 4 ANSWERS - CONTINUE? Y/(N):y

L8 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2005:120732 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 142:219278

TITLE: Preparation of indazolvlacrylamides as SGK-1

inhibitors

Marvin

PATENT ASSIGNEE(S): Smithkline Beecham Corporation, USA

SOURCE: PCT Int. Appl., 79 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

INVENTOR(S):

KIND DATE APPLICATION NO. DATE PATENT NO. WO 2005011681 A1 20050210 WO 2004-US23680 20040723

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,

Drewry, David Harold; Linn, James Andrew; Veal, James

```
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
             NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
             TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
        RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
             AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
             SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GO, GW, ML, MR, NE,
             SN, TD, TG
                                20060426
                                           EP 2004-778961
         R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
             IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, HR
     JP 2007500700
                          т
                                20070118
                                           JP 2006-521933
     US 20080058515
                          Α1
                                20080306
                                            US 2006-566040
                                                                   20060126
PRIORITY APPLN. INFO.:
                                            US 2003-490828P
                                                                P 20030729
                                                                W 20040723
                                            WO 2004-US23680
OTHER SOURCE(S):
                       CASREACT 142:219278; MARPAT 142:219278
GI
```

AB The title compds. I [D = CR and X = N, or D = N and X = CR, or D and X = CR (wherein R = H, halo, CN, alkyl); Rl = (0)m(01)n(2)p (wherein D = arylene, heteroarylene; m = 0-1; Ql = 0(CH2)q, (CH2)rC(0), SO2; n = 0-1; q = 0-4; r = 1-4; Q2 = alkyl, cycloalkyl, OH, etc.; p = 0-1); R2 = H, alkyl; NRIR2 = (un)substituted heterocyclyl, heterocyclic spiro ring system; R3, R4 = H, alkyl; R5 = H, halo, CN, OH, etc.] which are useful in the treatment of diseases mediated by inappropriate SGK-l activity, were prepared Thus, reacting acryloyl chloride with 1,3-benzothiazol-6-amine followed by reaction of the resulting crude intermediate with 3-iodoindazole afforded I [D, X = CH; Rl = 1,3-benzothiazol-6-yl; R2-R5 = H) which showed plC50 of > 6.0 against SGK-1. The pharmaceutical composition comprising the compound I is disclosed.

IT 842132-03-0P 842132-04-1P 842132-05-2P RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses) (preparation of indazolylacrylamides as SGK-1 inhibitors)

RN 842132-03-0 CAPLUS

CN Benzoic acid, 4-[[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-, methyl ester (CA INDEX NAME)

RN 842132-04-1 CAPLUS

CN Benzoic acid, 4-[[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-(CA INDEX NAME)

Double bond geometry as shown.

RN 842132-05-2 CAPLUS

N Benzoic acid, 3-[[(2E)-3-(1H-indazol-3-y1)-1-oxo-2-propen-1-y1]amino]-, methyl ester (CA INDEX NAME)

CN

NAME)

```
IT 842131-72-0P 842131-74-2P 842131-76-4P
842131-77-5P 842131-78-6P 842131-80-0P
842131-81-1P 842131-82-2P 842131-83-3P
842131-81-87-P 842131-88-5P 842131-86-6P
842131-87-P 842131-88-8P 842131-89-9P
842131-90-2P 842131-91-3P 842131-92-4P
842131-93-5P 842132-06-6P 842132-10-9P
842132-08-5P 842132-09-6P 842132-10-9P
842132-11-0P 842132-12-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of indazolylacrylamides as SGK-1 inhibitors)
RN 842131-72-0 CAPUUS
```

2-Propenamide, N-6-benzothiazoly1-3-(1H-indazol-3-y1)-, (2E)- (CA INDEX

Double bond geometry as shown.

RN 842131-74-2 CAPLUS

CN 2-Propenamide, N-(2-cyanopheny1)-3-(1H-indazo1-3-y1)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

RN 842131-76-4 CAPLUS

CN 2-Propenamide, N-(3-chlorophenyl)-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

RN 842131-77-5 CAPLUS

CN 2-Propenamide, N-(2,3-dihydro-1H-inden-5-yl)-3-(1H-indazol-3-yl)-, (2E)-(CA INDEX NAME)

Double bond geometry as shown.

RN 842131-78-6 CAPLUS

CN 2-Propenamide, N-[4-(dimethylamino)phenyl]-3-(1H-indazol-3-yl)-, (2E)-(CA INDEX NAME)

Double bond geometry as shown.

RN 842131-80-0 CAPLUS

CN 2-Propenamide, 3-(1H-indazol-3-yl)-N-5-quinolinyl-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

RN 842131-81-1 CAPLUS

CN 2-Propenamide, N-[3-(acetylamino)phenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

RN 842131-82-2 CAPLUS

CN 2-Propenamide, 3-(1H-indazol-3-yl)-N-(3,4,5-trimethoxyphenyl)-, (2E)- (CA INDEX NAME)

- RN 842131-83-3 CAPLUS
- CN 2-Propenamide, N-(3-benzoylphenyl)-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

- RN 842131-84-4 CAPLUS
- CN 2-Propenamide, N-[3-chloro-4-(4-morpholinyl)phenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

- RN 842131-85-5 CAPLUS
- CN 2-Propenamide, N-[5-[(diethylamino)sulfonyl]-2-methoxyphenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

RN 842131-86-6 CAPLUS

CN 2-Propenamide, N-[4-[2-[bis(1-methylethyl)amino]ethoxy]-3-methoxyphenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

RN 842131-87-7 CAPLUS

CN 2-Propenamide, 3-(1H-indazol-3-yl)-N-[3-methoxy-4-[2-[(2-phenoxyethyl)amino]ethoxy]phenyl]-, (2E)- (CA INDEX NAME)

- RN 842131-88-8 CAPLUS
- CN 2-Propenamide, 3-(1H-indazol-3-y1)-N-[3-methoxy-4-[2-(4-morpholinyl)ethoxy]phenyl]-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

- RN 842131-89-9 CAPLUS
- CN 2-Propenamide, 3-(1H-indazo1-3-y1)-N-[3-methoxy-4-[2-[(2-methoxyethy1)amino]ethoxy]pheny1]-, (2E)- (CA INDEX NAME)

- RN 842131-90-2 CAPLUS
- CN 2-Propenamide, 3-(1H-indazo1-3-y1)-N-[3-methoxy-4-[2-(methylpropylamino)ethoxy]phenyl]-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

- RN 842131-91-3 CAPLUS
- CN 2-Propenamide, N-[4-[2-[[2-(4-chlorophenyl)ethy1]amino]ethoxy]-3-methoxyphenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

RN 842131-92-4 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[[2-[4-[[(2E)-3-(1H-indazol-3-y1)-1-oxo-2propen-1-y1]amino]-2-methoxyphenoxy]ethyl]amino]-, ethyl ester (CA INDEX NAME)

Double bond geometry as shown.

RN 842131-93-5 CAPLUS

CN 2-Propenamide, N-[4-[2-(4-acetyl-1-piperazinyl)ethoxy]-3-methoxyphenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

- RN 842132-06-3 CAPLUS
- CN Benzoic acid, 3-[[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-(CA INDEX NAME)

Double bond geometry as shown.

- RN 842132-07-4 CAPLUS
- CN Benzamide, 4-[[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-N-[2-(3-pyridinyl)ethyl]- (CA INDEX NAME)

 $842132-08-5 \quad CAPLUS \\ \mbox{Benzamide, } 4-[(2E)-3-(1H-indazol-3-y1)-1-oxo-2-propen-1-y1] \\ \mbox{amino}]-N-1-oxo-2-propen-1-y1] \\ \mbox{amino} = N-1-oxo-2-propen-1-y1] \\ \mbox{amino} = N-1-oxo-2-propen-$ CN methyl-N-[2-(2-pyridinyl)ethyl]- (CA INDEX NAME)

Double bond geometry as shown.

RN 842132-09-6 CAPLUS

CN Benzamide, 4-[[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-Nmethyl-N-(1-methyl-3-pyrrolidinyl)- (CA INDEX NAME)

RN 842132-10-9 CAPLUS

CN Benzamide, 3-[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-N-[2-(4-morpholinyl)ethyl]- (CA INDEX NAME)

Double bond geometry as shown.

RN 842132-11-0 CAPLUS

N 2-Propenamide, 3-(1H-indazo1-3-y1)-N-[3-[[4-(phenylmethy1)-1piperaziny1]carbony1]pheny1]-, (2E)- (CA INDEX NAME)

- RN 842132-12-1 CAPLUS
- CN Benzamide, N-ethyl-3-[[(2E)-3-(1H-indazol-3-yl)-1-oxo-2-propen-1-yl]amino]-N-(4-pyridinylmethyl)- (CA INDEX NAME)

Double bond geometry as shown.

- IT 842132-16-5P
 - RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 - (preparation of indazolylacrylamides as SGK-1 inhibitors)
- RN 842132-16-5 CAPLUS
- CN 2-Propenamide, N-[4-(2-bromoethoxy)-3-methoxyphenyl]-3-(1H-indazol-3-yl)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER: 2000:117027 CAPLUS <<LOGINID::20080508>>

05/09/2008

Print selected from 10-566,040.trn

DOCUMENT NUMBER: 132:166128

TITLE: Preparation of substituted isoquinolines as

anticonvulsants

INVENTOR(S): Coulton, Steven; Harling, John David; Porter, Roderick

Alan; Thompson, Mervyn
PATENT ASSIGNEE(S): Smithkline Beecham Plc, UK

SOURCE: PCT Int. Appl., 72 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

PATENT	KIN	D	DATE			APPL	ICAT	DATE								
			-													
WO 2000	A1 20000217			WO 1999-EP5583							19990803					
	CA,			CY,	DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,
	DT	C F														

Ι

GB 1998-16984

A 19980805

PRIORITY APPLN. INFO.:

OTHER SOURCE(S): MARPAT 132:166128

AB The title compds. [I] Z = a carbocyclic or heterocyclic or a fused carbocyclic or heterocyclic ring containing at least one aromatic ring; X = CH, N; Y = H, alkyl, halo; P = CH:CH and Q = NRI, or P = CH:CH and Q = NRICH2, or P = NH and Q = CRIA:CH; R1 = H, phenylalkyl, alkyl; R1a = H, halo, phenylalkyl, alkyl; R2 = H, halo, NO2, etc.; R3 = H, phenylalkyl, alkyl; R2 = H, halo, NO2, etc.; R3 = H, phenylalkyl, alkyl, etc.; R7-R12 = H, alkyl] including tetrahydroisoquinolinyl cinnamides and acrylamides which are indicated to be useful for the treatment and/or prevention of anxiety, mania, depression, panic disorders and/or aggression, disorders associated with a subarachnoid hemorrhage or neural

shock, the effects associated with withdrawal from substances of abuse such as cocaine, nicotine, alc. and benzodiazepines, disorders treatable and/or preventable with anti-convulsive agents, such as epilepsy including post-traumatic epilepsy, Parkinson's disease, etc., were prepared Thus, reacting (Bl > 7-(2-carboxyinyl)-3, 4-dihydro-1H-isoguinoline-2-carboxylic acid tert-Bu ester with aniline followed by treatment of the intermediate with trifluoroacetic acid afforded (E)-Tl which showed statistically significant increase (140%) in seizure threshold at 10 mg/kg p.o. in mice (MEST test).

IT 258514-53-3P

RI: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of substituted isoquinolines as anticonvulsants)

RN 258514-53-3 CAPLUS

CN 2-Propenamide, 3-(2,3-dihydro-1H-indazol-3-y1)-N-(1,2,3,4-tetrahydro-2-methyl-7-isoquinolinyl)-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1999:233906 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 130:267434

TITLE: Preparation of 2-cvano-3-oxo-3-

benz[g]indazolepropanamides and analogs as kynurenine-3-hydroxylase inhibitors

INVENTOR(S): Pevarello, Paolo; Varasi, Mario; Amici, Raffaella;

Toma, Salvatore; Speciale, Carmela Pharmacia & Upjohn S.P.A., Italy

PATENT ASSIGNEE(S): Pharmacia & Upjohn S.P.

SOURCE: PCT Int. Appl., 29 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE
WO 9916753 A2 19990408 WO 1998-EP6051 19980923

```
WO 9916753
                              19990520
                        A3
        W: AL, AU, BA, BB, BG, BR, CA, CN, CU, CZ, EE, GE, HR, HU, ID, IL,
            IS, JP, KE, KP, KR, LC, LK, LR, LS, LT, LV, MG, MK, MN, MX, NO,
            NZ, PL, RO, SG, SI, SK, SL, TR, TT, UA, US, UZ, VN, YU, AM, AZ,
            BY, KG, KZ, MD, RU, TJ, TM
        RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES,
            FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI,
            CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                         CA 1998-2302025
    CA 2302025
                        A1
                             19990408
    AU 9913343
                        Α
                              19990423
                                         AU 1999-13343
    EP 1019380
                        A2
                             20000719
                                        EP 1998-956836
                                                                 19980923
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, SI, LT, LV, FI, RO
    JP 2001518469
                        т
                              20011016
                                          JP 2000-513839
                                                                 19980923
PRIORITY APPLN. INFO.:
                                          GB 1997-20899
                                                            A 19971001
                                          WO 1998-EP6051
                                                            W 19980923
OTHER SOURCE(S):
                      MARPAT 130:267434
GI
```

AB Title compds. [I, R = COCH(CN)Z(CH2)mR2; Rl = H or 1-2 of halo, alkyl, alkoxy, etc.; R2 = alkyl, (un)substituted Ph, -heterocyclyl; Z = CONH, CO, SO2; ZI = O or NR3; R3 = alkyl, CH2Ph, pyridyl, etc.; Z2 = N, NO, CH; m = 0-6] were prepared Thus, α-tetralone was condensed with (COZEt)Z and the product cyclocondensed with MeNHNH2 to give, after dehydrogenation, I (ZI = MeN, Z2 = CH)(II; R = COZEt) which was condensed with MeCN and the product condensed with PhNCO to give II [R = C(CH):CH(CN)CONHPh](III). Data for biol, activity of III Na salt were given.

IT 222293-75-6P 222293-78-9P 222293-82-5P 222293-83-6P

222293-83-6F

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation) of 2-cvano-3-oxo-3-benz(Glindazolepropanamides and analogs as

(preparation of 2-cyano-3-oxo-3-benz[g]indazolepropanamides and analogs as kynurenine-3-hydroxylase inhibitors)

RN 222293-75-6 CAPLUS

CN 2-Propenamide, 2-cyano-3-hydroxy-3-(1-methyl-1H-benz[g]indazol-3-yl)-N-phenyl- (CA INDEX NAME)

- RN 222293-78-9 CAPLUS
- CN 2-Propenamide, 2-cyano-3-hydroxy-N-phenyl-3-(1-phenyl-1H-benz[g]indazol-3-yl)- (CA INDEX NAME)

- RN 222293-82-5 CAPLUS
- CN 2-Propenamide, 2-cyano-3-hydroxy-3-(1-methyl-1H-benz[g]indazol-3-y1)-N-phenyl-, monosodium salt (9CI) (CA INDEX NAME)

- Na
- RN 222293-83-6 CAPLUS
- CN 2-Propenamide, 2-cyano-3-hydroxy-N-phenyl-3-(1-phenyl-1H-benz[g]indazol-3yl)-, monosodium salt (9CI) (CA INDEX NAME)

TITLE:

Na

L8 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN ACCESSION NUMBER:

1999:113653 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 130:168365

Preparation of fused heterocyclic compounds as

kynurenine-3-hydroxylase inhibitors

INVENTOR(S): Pevarello, Paolo; Varasi, Mario; Heidempergher, Franco; Greco, Felicita; Speciale, Carmela

Pharmacia & Upjohn S.p.A., Italy PATENT ASSIGNEE(S):

SOURCE: PCT Int. Appl., 25 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent English

LANGUAGE: FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PAT	ENT 1	10.		KIN	D	DATE		APPLICATION NO.						DATE			
WO	WO 9906375						A1 19990211			WO	1998	-EP42		19980702			
	W:	AL,	AU,	BA,	BB,	BG,	BR,	CA,	CN,	CU	J, CZ	, EE,	GE,	GW,	HU,	ID,	IL,
		IS,	JP,	KE,	KP,	KR,	LC,	LK,	LR,	LI	, LV	, MG,	MK,	MN,	MX,	NO,	NZ,
		PL,	RO,	SG,	SI,	SK,	SL,	TR,	TT,	UA	, US	, UZ,	VN,	YU,	AM,	AZ,	BY,
		KG,	KZ,	MD,	RU,	TJ,	TM										
	RW:	GH,	GM,	KE,	LS,	MW,	SD,	SZ,	UG,	ZW	, AI	, BE,	CH,	CY,	DE,	DK,	ES,
		FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL	, PI	, SE,	BF,	ВJ,	CF,	CG,	CI,
		CM,	GA,	GN,	ML,	MR,	NE,	SN,	TD,	TG	;						
CA	A1 19990211					CA	1998	-2296		19980702							
AU	A 19990222				AU 1998-87317						19980702						
EP	A1 20000524				EP 1998-938689						19980702						
	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GF	, II	, LI,	LU,	NL,	SE,	MC,	PT,
		IE,	FI														
JP	20015	51210)7		T		2001	0821		JP	2000	-5051	34		1	9980	702
PRIORITY						GB	1997	-1610	1		A 1	9970	730				
						WO	1998	-EP42	18		W 1	9980	702				
OTHER SO	URCE	(S):			MAR	PAT	130:	1683	65								

- AB The title compds. [I; a, b, c = all single bonds; or a, b, c = all double bonds; or a = double bond and b, c = single bonds; m = 0-6; W = CONH, SO2, CO; X = O, S, NR2 (wherein R2 = H, C1-6 alkv1, PhCH2, etc.); R, R1 = H, halo, OH, etc.; O = C1-14 alkvl, (un)substituted Ph ring or unsatd. pentat, heteromonocyclic ring containing two or three heteroatoms chosen independently from O, S and N], useful as kynurenine-3-hydroxylase inhibitors, were prepared and formulated. Thus, treatment of 2-cyano-3-(1-methyl-1H-indazol-3-yl)-3-oxo-N-phenylpropanamide (preparation given) with 0.1 N NaOH in EtOH afforded acrylamide II as sodium salt which showed IC50 of 1.1 µM against KYN-3-OH.
 - 220487-67-2P RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 - (preparation of fused heterocyclic compds. as kynurenine-3-hydroxylase inhibitors)
- 220487-67-2 CAPLUS RN
- CN 2-Propenamide, 2-cyano-3-hydroxy-3-(1-methyl-1H-indazol-3-yl)-N-phenyl-,
 - monosodium salt (9CI) (CA INDEX NAME)

N a

REFERENCE COUNT:

3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT => FIL REGISTRY COST IN U.S. DOLLARS

SINCE FILE ENTRY SESSION

TOTAL 409.61

FULL ESTIMATED COST

24.68 SINCE FILE

ENTRY -3.20

TOTAL SESSION -6.40

CA SUBSCRIBER PRICE

FILE 'REGISTRY' ENTERED AT 11:18:35 ON 08 MAY 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 MAY 2008 HIGHEST RN 1019993-29-3 DICTIONARY FILE UPDATES: 7 MAY 2008 HIGHEST RN 1019993-29-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Program Files\Stnexp\Queries\10-566,040b.str

```
chain nodes:
10 11 12 13 14

ring nodes:
1 2 3 4 5 6 7 8 9 15 16 17 18 19 20

chain bonds:
7-10 10-11 11-12 12-13 12-14 13-15

ring bonds:
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 15-16 15-20 16-17 17-18 18-19

19-20

exact norm bonds:
5-7 6-9 7-8 7-10 8-9 10-11 11-12 12-13 12-14 13-15


normalized bonds:
1-2 1-6 2-3 3-4 4-5 5-6 15-16 15-20 16-17 17-18 18-19 19-20
```

G1:C,N

Match level: 1:1.4tom 2:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom

L9 STRUCTURE UPLOADED

=> d 19 L9 HAS NO ANSWERS L9 STR



G1 C,N

Structure attributes must be viewed using STN Express query preparation.

50 ANSWERS

=> s 19 sss sam

SAMPLE SEARCH INITIATED 11:19:06 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 1563 TO ITERATE

100.0% PROCESSED 1563 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
PROJECTED ITERATIONS: 2888 TO 33631
PROJECTED ANSWERS: 3009 TO 4671

L10 50 SEA SSS SAM L9

_

Uploading C:\Program Files\Stnexp\Queries\10-566,040c.str


chain nodes :

```
10 11 12 13 14
ring nodes:
1 2 3 4 5 6 7 8 9 15 16 17 18 19 20
chain bonds:
1 12 13 4 5 6 7 8 9 15 16 17 18 19 20
chain bonds:
1 12 12 13 12-14 13-15
ring bonds:
1 -2 1 -6 2 -3 3 -4 4 -5 5 -6 5 -7 6 -9 7 -8 8 -9 15 -16 15 -20 16 -17 17 -18 18 -19
19 -20
exact/norm bonds:
5 -7 6 -9 7 -8 8 -9 12 -13 12 -14 13 -15
exact bonds:
10 -11 11 -12
normalized bonds:
1 -2 1 -6 2 -3 3 -4 4 -5 5 -6 15 -16 15 -20 16 -17 17 -18 18 -19 19 -20
```

Match level: 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS 11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 22:CLASS

L11 STRUCTURE UPLOADED

=> d 111 L11 HAS NO ANSWERS L11 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 111 sss sam

SAMPLE SEARCH INITIATED 11:20:59 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 224 TO ITERATE

100.0% PROCESSED 224 ITERATIONS 3 ANSWERS

3 TO

163

SEARCH TIME: 00.00.01

PROJECTED ANSWERS:

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
PROJECTED ITERATIONS: 3583 TO 5377

L12 3 SEA SSS SAM L11

=> s 111 sss full

FULL SEARCH INITIATED 11:21:09 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 4234 TO ITERATE

100.0% PROCESSED 4234 ITERATIONS 38 ANSWERS

SEARCH TIME: 00.00.01

L13 38 SEA SSS FUL L11

=> file caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 180.20 589.81

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE 0.00 -6.40

FILE 'CAPLUS' ENTERED AT 11:21:19 ON 08 MAY 2008 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 May 2008 VOL 148 ISS 19 FILE LAST UPDATED: 7 May 2008 (20080507/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 113

L14 8 L13 => d ibib abs hitstr 1-

YOU HAVE REQUESTED DATA FROM 8 ANSWERS - CONTINUE? Y/(N):y

L14 ANSWER 1 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:588231 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 141:140440

TITLE: Preparation of indazoles and their use as

anti-inflammatory, antirheumatic, and antiarthritic

agents

INVENTOR(S): Konno, Yasuo; Ono, Tomoyasu; Kitagawa, Kazuhiro;

Inoue, Shinichi; Tanaka, Katsuhisa; Yamada, Shozo;

Asao, Tetsuji

PATENT ASSIGNEE(S): Taiho Pharamceutical Co., Ltd., Japan SOURCE: Jpn. Kokai Tokkvo Koho, 54 pp.

CODEN: JKXXAF DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO. KIND DATE APPLICATION NO. DATE JP 2004203804 A 20040722 JP 2002-376012 20021226 PRIORITY APPLN. INFO.: OTHER SOURCE(S):

JP 2002-376012 MARPAT 141:140440 20021226

AB Title agents contain indazoles I [R1 = H, [(mono- or di-lower alkyl)amino-substituted] lower alkyl, acyl, lower alkyl(oxyl, R3 = H, halo; R4 = H, (un)substituted SO2; R2 = H, lower alkyl(oxyl, R3 = H, halo; R4 = H, (un)substituted cycloalkyl, (un)substituted aryl, (un)substituted heterocyclyl, (un)substituted NH2, acyl, etc.; R5 = H, protecting group] or their pharmacol. acceptable salts as active ingredients. Thus, cyclocondensation of 5,6-diamionindazole with PhCHO in AcNNe2 gave 90% I (R1-R3 = R5 = H, R4 = Ph), which at 300 mg/kg p.o. inhibited type II-colladen-induced arthritis by 96.7% in mice.

IT 724766-89-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of pyrazolobenzimidazoles as anti-inflammatory, antirheumatic, and antiarthritic agents)

RN 724766-89-6 CAPLUS

CN 2-Propenamide, 3-(1,7-dihydroimidazo[4,5-f]indazol-6-yl)-N-phenyl-, (2E)-(CA INDEX NAME)

Double bond geometry as shown.

L14 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2000:299968 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 133:150502

TITLE: Synthesis and SAR of benzimdazole anthelmintics AUTHOR(S): Gaur, N. M.; Patil, S. V.; Mourya, V. K.; Wagh, S. B. CORPORATE SOURCE: Department of Pharmaceutical Chemistry, College of

Pharmacy, Nashik, 420 002, India

05/09/2008

Print selected from 10-566,040.trn

SOURCE:

Indian Journal of Heterocyclic Chemistry (2000), 9(3),

227-230

CODEN: IJCHEI: ISSN: 0971-1627

Prof. R. S. Varma

Journal

PUBLISHER: DOCUMENT TYPE: LANGUAGE:

English

 β -Benzimidazolvl- α -Me crotonic acid anilides I (X = H, 3-Cl, 4-Cl, 4-Me, 4-MeO), β-benzimidazolyl α-Me crotonic acid amides II (X = 0, CH2, NMe), β -benzimidazolyl Me butyramides III, and β-benzimidazolyl α-Me butyranilides IV were synthesized and tested for anthelmintic activity. It was found that the m-chloro derivative I (X = 3-C1) showed maximum activity while p-methoxy derivative showed min. activity. A correlation of Hammett substituent constant and activity is given.

286930-50-5P 286930-51-6P 286930-52-7P 286930-53-8P 286930-54-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(preparation, anthelmintic activity, structure-activity relationship, and Hammett substituent constant of benzimidazoles)

RN 286930-50-5 CAPLUS

CN 2-Butenamide, 3-(1H-benzimidazo1-2-v1)-2-methy1-N-pheny1-, (2Z)- (CA INDEX NAME)

Double bond geometry as shown.

RN 286930-51-6 CAPLUS

CN 2-Butenamide, 3-(1H-benzimidazo1-2-y1)-N-(3-chloropheny1)-2-methy1-, (2Z)-(CA INDEX NAME)

Double bond geometry as shown.

RN 286930-52-7 CAPLUS

CN 2-Butenamide, 3-(1H-benzimidazo1-2-y1)-N-(4-chloropheny1)-2-methy1-, (2Z)- (CA INDEX NAME)

Double bond geometry as shown.

RN 286930-53-8 CAPLUS

CN 2-Butenamide, 3-(1H-benzimidazo1-2-y1)-2-methy1-N-(4-methylpheny1)-, (2Z)-(CA INDEX NAME)

CN

RN 286930-54-9 CAPLUS

2-Butenamide, 3-(1H-benzimidazol-2-yl)-N-(4-methoxyphenyl)-2-methyl-, (2Z)- (CA INDEX NAME)

Double bond geometry as shown.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN 1999:467095 CAPLUS <<LOGINID::20080508>>

ACCESSION NUMBER: DOCUMENT NUMBER: 131:228686

TITLE: Synthesis and novel reactions of 2,3-dimethyl-1Hpvrrolo[1,2-a]-benzimidazol-1-one with secondary

amines and N-bromosuccinimide

AUTHOR(S): Shetgiri, N. P.; Kokitkar, S. V. CORPORATE SOURCE: Department of Chemistry, The Institute of Science,

Mumbai, 400 032, India SOURCE:

Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry (1999),

38B(3), 312-316

CODEN: IJSBDB; ISSN: 0376-4699

National Institute of Science Communication, CSIR PUBLISHER:

DOCUMENT TYPE: Journal LANGUAGE: English

CASREACT 131:228686 OTHER SOURCE(S):

GI

Page 33

- AB N,N-Disubstituted- β -(2-benzimidazoly1)- α , β -dimethylacrylamides I (R1 = H, C1; R2 = morpholine, piperidine, etc.), 2-bromomethyl-3-methyl-1H-pyrrolo[1,2a]benzimidazol-1-one II (R1 = H; R2 = Br; X = 0) and 2,3-dimethyl-1H-pyrrolo[1,2a]benzimidazole-1-thione II (R1 = R2 = H; X = S) have been synthesized from 2,3-dimethyl-1H-pyrrolo[1,2a]benzimidazole-1-one II (R1 = H, C1; R2 = H; X = 0). Compds. I have been synthesized via two different routes and screened for their antimicrobial and anthelmintic activities.
- IT 243843-18-7P 243843-25-6P RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 - (preparation of dimethylpyrrolobenzimidazolone and conversion to benzimidazolyldimethylacrylamides, bromomethylmethylpyrrolobenzimidazol one, and dimethylpyrrolobenzimidazolethione)
- RN 243843-18-7 CAPLUS
- CN 2-Butenamide, 3-(1H-benzimidazol-2-yl)-2-methyl-N,N-diphenyl- (CA INDEX NAME)

- RN 243843-25-6 CAPLUS
- CN 2-Butenamide, 3-(5-chloro-1H-benzimidazol-2-y1)-2-methyl-N,N-diphenyl-(9CI) (CA INDEX NAME)

- REFERENCE COUNT:
- 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L14 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1980:146669 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 92:146669

ORIGINAL REFERENCE NO.: 92:23837a,23840a

TITLE: Synthesis of 3-(1-methyl-5-nitro-2-

benzimidazolyl)acrylic acid derivatives as expected

antischistosomal agents

AUTHOR(S): Omar, Nabil M.; Farag, Hassan H.; Omar, Farghaly A.

CORPORATE SOURCE: Fac. Pharm., Univ. Assiut, Assiut, Egypt

SOURCE: Zeitschrift fuer Naturforschung, Teil B: Anorganische

Chemie, Organische Chemie (1979), 34B(10), 1427-30

CODEN: ZNBAD2; ISSN: 0340-5087 TYPE: Journal

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 92:146669

GI

AB Several ester and amide derivs. of 3-(1-methyl-5-nitro-2-benzimidazolyl)acrylic acid (I) prepared for testing as potential antischistosomal agents. I was prepared from 1-methyl-5-nitro-2-benzimidazolecarboxaldehyde and CH2(CO2H)2. N-Ethoxycarbonyl-2-ethoxydihydroquinoline was used as the coupling agent for the esterifications and amidations.

73237-63-5P 73237-64-6P 73282-60-7P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)

RN 73237-63-5 CAPLUS

CN 2-Propenamide, N-(3-chlorophenyl)-3-(1-methyl-5-nitro-1H-benzimidazol-2vl)-, (E)- (9CI) (CA INDEX NAME)

RN 73237-64-6 CAPLUS

CN 2-Propenamide, 3-(1-methyl-5-nitro-1H-benzimidazol-2-yl)-N-(2-nitrophenyl)-, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 73282-60-7 CAPLUS

CN 2-Propenamide, 3-(1-methyl-5-nitro-1H-benzimidazol-2-yl)-N-phenyl-, (E)-(9CI) (CA INDEX NAME)

Double bond geometry as shown.

L14 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1971:76369 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 74:76369

ORIGINAL REFERENCE NO.: 74:12395a,12398a

TITLE: Benzimidazole derivatives. XXV. Synthesis of 3-(1-methyl-2-benzimidazolyl)acrylic acid and its

derivatives

AUTHOR(S): Popov, I. I.; Simonov, A. M.; Kolodyazhnaya, S. N.

CORPORATE SOURCE: Rostov.-na-Donu Gos. Univ., Rostov-on-Don, USSR SOURCE: Khimiya Geterotsiklicheskikh Soedinenii (1970), (11),

1566-8

CODEN: KGSSAQ; ISSN: 0132-6244

DOCUMENT TYPE: Journal

LANGUAGE: Russian

GI For diagram(s), see printed CA Issue.

AB Treatment of I with C13CCHO over ZnC12 and then with NaOH afforded II (X = OH), which gave II (X = OR) with SOC12 followed by ROH (R = Me, Et). II (X = OR) were also prepared by oxidizing I with SeO2, followed by treatment with Ph3P:CHCO2R. II (X = NHPh, NEt2, piperidino) were prepared from II (X

= C1·HC1) and the corresponding amines.

30780-03-1P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)

30780-03-1 CAPLUS RN

2-Benzimidazoleacrylanilide, 1-methyl- (8CI) (CA INDEX NAME)

L14 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1969:512864 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 71:112864

ORIGINAL REFERENCE NO.: 71:21003a,21006a

TITLE: Fluorescent alkylating agents. 1-(β-

chloroethyl)bisbenzimidazoles

AUTHOR(S): Tsou, Kwan Chung; Rabiger, Dorothy J.; Sobel, Barbara CORPORATE SOURCE: Sch. of Med., Univ. of Pennsylvania, Philadelphia, PA,

SOURCE:

Journal of Medicinal Chemistry (1969), 12(5), 818-22

CODEN: JMCMAR; ISSN: 0022-2623

DOCUMENT TYPE: Journal

LANGUAGE: English

For diagram(s), see printed CA Issue. AB

cis- and trans-1-(β -Chloroethyl)bisbenzimidazoles (I) (R = H or Me, R1 = H or Me) have been synthesized as fluorescent alkylating agents. Preliminary in vivo study with HeLa cells shows that such compounds can be useful to demonstrate the intranuclear alkylation in dividing cells.

24156-52-3P

RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)

RN 24156-52-3 CAPLUS

CN 2-Benzimidazoleacrylanilide, 2'-amino-, dihydrochloride (8CI) (CA INDEX NAME)

2 HC1

```
L14 ANSWER 7 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER:
                         1963:454940 CAPLUS <<LOGINID::20080508>>
DOCUMENT NUMBER:
                          59:54940
ORIGINAL REFERENCE NO.: 59:10024d-h
                          Benzimidazole derivatives. XIII. Transformations of
TITLE:
                         2-formvl-1-methvlbenzimidazole
AUTHOR(S):
                         Dalgatov, D. D.; Simonov, A. M.
CORPORATE SOURCE:
                         State Univ., Rostov-on-Don
SOURCE:
                          Zhurnal Obshchei Khimii (1963), 33(3), 1007-10
                          CODEN: ZOKHA4; ISSN: 0044-460X
DOCUMENT TYPE:
                          Journal
LANGUAGE:
                          Unavailable
   cf. CA 55, 16520f; 58, 13936f. Heating 1-methyl-2-
     hydroxymethylbenzimidazole in 2N H2SO4 in the presence of AgNO3 to
     70° and treating the solution gradually with K2S208 gave after
     filtration and neutralization, followed by extraction with CHCl3,
     1-methyl-2-formylbenzimidazole (I), m 110°; a more satisfactory
     preparation in 50% vield was secured by oxidation of 1,2-dimethylbenzimidazole
     with SeO2 at 95° in dry dioxane. Heating 2-
     hydroxymethylbenzimidazole with Leueotrope O in aqueous NaOH 2 hrs. gave after
     removal of PhNMe2 with steam 1-benzyl-2-hydroxymethylbenzimidazole, m.
     186.5-7°. I and AcPh in the presence of 2% aqueous NaOH rapidly gave
     83% 2-(2-benzoylvinyl)-1-methylbenzimidazole (II), m. 154-5°, which
     gave an orange solution in H2SO4 (2,4-dinitrophenylhydrazone m. 262°).
     This was brominated in CC14 to \( \gamma - (1-methyl-2-benzimidazolyl) -
     \beta,\gamma-dibromopropiophenone, m. 134°. II and MeI in EtOH 2 hrs. gave II methiodide, m. 236°, which with aqueous KOH 1 hr. gave
     yellow N-β-benzoylacrylyl-N,N'-dimethyl-o-phenylenediamine, m.
     156.5°. I and AcPh in EtOH treated gradually with 20% aqueous KOH,
     heated briefly at 100°, and kept 2 hrs. gave colorless
     1-methyl-2-bis(phenacylmethyl)benzimidazole (II), m. 184°.
     Similarly were prepared: yellow 2-(\beta-pbromobenzoylvinyl)-1-
     methylbenzimidazole, m. 159 60°, and colorless 1-methyl-2-bis(p-
     bromophenacylmethyl) benzimidazole, m. 186.5-87°. I and
     cyclohexanone in MeOH in the presence of 10% KOH 0.5 hr. at reflux gave
     vellow 2-(1-methyl-2-benzimidazolylmethylene)evclohexanone, m.
     237°. I and 1,2-dimethylbenzimidazole-MeI in MeOH-piperidine 4
     hrs. gave vellow 1,2-bis(1-methyl-2-benzimidazolyl)ethylene-MeI (III),
     decomposed 273°, which with aqueous alc. KOH 1 hr. gave vellow
     N-[β-(1-methyl-2-benzimidazolyl)acryloyl]-N,N'-dimethyl-o-
     phenylenediamine, m. 186°. 1,2-Dimethylbenzimidazole with excess EtI gave the monoethiodide, m. 188-90°. 1,2-bis(1-methyl-2-
     benzimidazolyl)ethene-EtI, yellow, m. 232-3°.
   97078-58-5P, Acrylanilide, N-methyl-2'-(methylamino)-3-(1-methyl-2-
     benzimidazolv1-
     RL: PREP (Preparation)
        (preparation of)
RN
    97078-58-5 CAPLUS
     2-Benzimidazoleacrylanilide, N.1-dimethyl-2'-(methylamino)- (7CI) (CA
CN
     INDEX NAME)
```

L14 ANSWER 8 OF 8 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1923:19661 CAPLUS <<LOGINID::20080508>>

DOCUMENT NUMBER: 17:19661

ORIGINAL REFERENCE NO.: 17:3027b-i

TITLE: Action of o-phenylenediamine upon the anhydrides of diphenyhnaleic, homophthalic and diphenic acids

AUTHOR(S): Bistrzycki, A.; Fassler, Karl

SOURCE: Helvetica Chimica Acta (1923), 6, 519-35 CODEN: HCACAV; ISSN: 0018-019X Unavailable

DOCUMENT TYPE: Journal

LANGUAGE:

For diagram(s), see printed CA Issue.

Diphenylmaleic anhydride and o-C6H4(NH2)2 in boiling EtOH give an 85-905 vield of N-[2''-aminophenyl]diphenylmaleic imide (diphenylmaleic-2''aminoanil), orange-yellow, decomps. 207-8°. In spite of the free NH2 group, it is insol. in HCl. Ac derivative, yellow, m. 224°. Heated above its m. p., the imide loses H2O, forming 85% of $[\alpha, \beta$ -diphenylacrylenel]-2, I-benzimidazole (I), brown, m. 186°. The concentrated H2SO4 solution is brownish red with a violet tinge. I also results by heating the components but in very poor yields. I,

heated with KOH in EtOH and then acidified with AcOH, yields β -[benzimidazoly1-2'']- α , β -diphenylacrylic acid (II),

contains 1 H2O, gradually turns orange on heating and m. 186°

(decomposition). After standing several days in absolute EtOH, it contains 1

mol. EtOH. Et ester, short needles, which yield I on heating. Anilide, m. 278° (decomposition). The condensation of o-C6H4(NH2)2 and homophthalic anhydride in boiling EtOH vields 2-[carboxymethyl]-benz-[2'-aminoanilide], o-HO2CCH2C6H4CONHC6H4NH2(?), turns yellow at 150° and then gradually m. Ag salt, sensitive to light. o-Phenyleneacety1-2,Ibenzimidazole (III), yellow, m. 345° (decomposition), results upon heating the base at 200° for 10 min. It is not affected by MeONa in MeOH, concentrated NH4OH at 100 or 200°, PhNH2 at 190° or boiling PhNH2-Diphenic anhydride and o-C6H4(NH2)2 give a 71% yield of diphen-2''-aminoanilidecarboxylic acid, o-HO2CC6H4C6H4CONHC6H4NH2, starts to decompose 123°. From EtOH it seps. with 1 mol. of EtOH of crystallization Heated at 150°, H2O is evolved and a 70% yield of 2', I-[o-benzoylene]-2-phenylbenzimidazole (IV), m. 177-8° results, also formed in about the same yield by heating the components at 150°. Unlike the 6-membered ring of III, this compound yields 2'-[benzimidazolyl-2'']-diphenyl-2-carboxylic acid, m. 206-9°. salt. Et ester, m. 143° (decomposition). Amide, decomps. 227°. Anilide, decomps. 248°. $N-\beta$ -Phenylhydrazide, decomps. 157°. A by-product in the production of IV is N-[2''-

acetaminophenyl|diphenimide, decomps. 233°, which also results by

heating the anilide with AcCl. It is probably (C6H4CO)2NC6H4NHAc.

- IT 861783-93-9P, 2-Benzimidazoleacrylanilide, α, β -diphenyl-RL: PREP (Preparation)
- (preparation of) RN 861783-93-9 CAPLUS
- CN Benzeneacetamide, α-(1H-benzimidazo1-2-ylphenylmethylene)-N-phenyl-(CA INDEX NAME)

=>